

Electronic Operation Table

Standard Accessories :

- Shoulder Supports (1pair)
- Lateral Supports (1pair)
- Knee Crutches/ Leg Holder Straps (1pair)
- Arm Board (1pair)
- Anaesthetic Screen (1piece)

Salient Features:

- State -of-Art Electrically Operated Versatile Operation Table for all major and minor surgical procedures.
- Fully maneuverable by Soft-Touch Keys on Hand Held Remote Control Panel.
- Legible and easily identifiable symbols on switches provide correct selection of Table position at any stage of operation.
- Provides for smooth, easy and accurate positioning.
- Five section Radiolucent Table Top.
- Its special design allows ability to use C-arm over the length of the table.
- Unique, sensor-controlled levelling for height adjustment, backrest lifting, Lateral and Trendelenburg position.
- Base and Column covered with Stainless Steel fittings for Hygiene and Durability.
- Moveable on High Quality Castors.
- Equipped with Mechanical Foot Pedal Operated Base Locking Mechanism for firm and rigid locking of the table.
- Head section and Kidney Section are mechanically operated having easy and smooth movements.
- Leg Section and Head Section Interchangeable.

Technical Specifications	
Length	1910mm
Width	530mm
Maximum Height	950mm
Minimum Height	750mm
Trendlenberg	Upto 30°
Reverse Trendlenberg	Upto 20°
Lateral Tilt	20° Both side
Kidney Section Elevation	150mm
Head Rest	20° Up 90° Down

Operation Table C-Arm Compatible Gearmatic

Standard Accessories :

- Shoulder Supports (1 pair)
- Lateral Supports (1 pair)
- Knee Crutches /Leg Holder Straps (1 pair)
- Arm Board (1 pair)
- Anaesthetic Screen (1 piece)

Salient Features:

- An all-in-one operation table which can be used for all major surgeries including orthopedic, Urology, Neurosurgery, Gynae and general surgical procedures.
- Five Section Radiolucent Table Top
- Its special design allows ability to use C-Arm over the length of the table.
- Control of Height, Trendlenberg, Lateral Tilt and Back Section can be done entirely by fully Gearmatic Force.
- All major positions oaf the table are simply effected by crank operated on the Head End of the table.
- Foot Pedal Operated Height Adjustment with Four Cylinders Hydraulic Pump.
- Base and Column covered with Stainless Steel fittings for Hygiene and Durability.
- Moveable on High Quality Castors.
- Equipped with Base Locking Mechanism for firm and rigid locking of the table.
- Leg Section and Head Section Interchangeable.

Technical Specifications	
Length	1910mm
Width	530mm
Maximum Height	1040mm
Minimum Height	785mm
Trendlenberg	Upto 40°
Reverse Trendlenberg	Upto 20°
Lateral Tilt	20° Both side
Kidney Section Elevation	150mm
Head Rest	20° Up 90° Downs

Operating Table Hydraulic, side end control

- * Height, Backrest, Trendelenberg/Reverse, Lateral tilt adjustable by rotating crank operated from both sides
- * Radiolucent table top
- * Head, Backrest, Kidney, Trunk and Leg 5-Section tabletop
- * 5-Section seamless moulded mattress
- * Supported on a heavy base column covered with stainless steel sheet
- * Castors lockable with single action brake
- * All stainless steel accessories

Accessories:

Anaesthetic Frame, Shoulder Support, Lateral Support,
Geopel Type Knee Crutches, Arm Board, Foot-rest, Mattress in five sections

Optional:

X-Ray Translucent Top, X-Ray Cassette Holder, Geopel Type Knee Crutches, Orthopaedic Attachment for Lower Limbs & Hand Surgery, Neck Elevator, Shoulder Elevator, Horse Shoe Type Head Support, Mayfield Type Neuro Attachment, Drainage tray

Technical Specification:

Table Top Length	1800 mm, Head Section Drawn-in 1950 mm, Head Section Drawn-out
Table Top Width	500 mm
Table Height Adjustment Range	800 mm - 1000 mm
Back Rest (Up/Down)	90° / 30°
Head Section (Up/Down)	60° / 90°
Trendelenberg	40°
Reverse Trendelenberg	40°
Leg Section (Detachable) UP	20°
Leg Section (Detachable) DOWN	90°
Lateral Tilt (Left/Right)	30°
Kidney Bridge Lift	150 mm
Load Capacity	150 kg

Optional:

- * **Table Top rotation 360°**

Side End Control - Single Hydraulic Cylinder

Standard Accessories :

- Shoulder Supports (1 pair)
- Lateral Supports (1 pair)
- Knee Crutches /Leg Holder Straps (1 pair)
- Arm Board (1 pair)
- Anaesthetic Screen (1 piece)

Salient Features:

- Versatile Operation Table for General Surgical Procedures.
- Accurate positions can be achieved with easy mechanical operation.
- Five Section Stainless Steel Top.
- Table Top can be rotated 360° on central axis.
- Heavy Duty Single Cylinder Hydraulic Pump.
- Base and Column covered with Stainless Steel fittings for Hygiene and Durability.
- Moveable on High Quality Castors.
- Equipped with base locking mechanism for firm and rigid locking of the table.
- Detachable Leg Section.

Technical Specifications	
Length	1830mm
Width	485mm
Maximum Height	1010mm
Minimum Height	790mm
Trendlenberg	Upto 30°
Reverse Trendlenberg	Upto 30°
Lateral Tilt	20° Both side
Head Rest	20° Up 90° Down

Operation & Examination table (Hi-Lo) (72" x 20" x 32")

- Tubular Frame work on 10 cms castors with brakes.
- This is anexceptionally fine surgical table.
- With facility of hight adjustment by crank mechanism.
- Offering a very comprehensive range of positions viz., "straight", trendlenburg & reverse trendlenburg positions, chair, lithotomy position etc.