

### Sawing machines for single cuts (horizontal)

Type	Flange Ø/mm	Sawblade Ø/mm	Driving power kW	Material Ø/mm	Material (max.) □/mm
450 E	120	360 - 450	15 / 22	30 - 120	110 x 110
550 E	160	370 - 550	30 / 45	30 - 160	145 x 145
850 E	240	600 - 850	55 / 75	60 - 240	210 x 210
1150 E	320	850 - 1150	75 / 90	60 - 370	340 x 340
1350 E	400	1050 - 1360	110	100 - 440	400 x 400
1650 E	500	1300 - 1650	132	180 - 520	470 x 470
2000 E	500 (600)	1620 - 2000	160	220 - 700	650 x 650
2200 E	500 (600)	1800 - 2200	160	220 - 800	720 x 720

### Sawing machines for single cuts (vertical)

Type	Flange Ø/mm	Sawblade Ø/mm	Driving power kW	Material Ø/mm	Material □/mm
450 VE	120	360 - 450	15 / 22	30 - 90	85 x 85
550 VE	160	370 - 550	30 / 45	30 - 130	115 x 115
850 VE	240	600 - 850	55 / 75	60 - 190	180 x 180

### Sawing machines for layer

Type	Flange Ø/mm	Sawblade Ø/mm	Driving power kW	Layer Width/High mm
1150 L	320	850 - 1150	75 / 90	750 / 235
1350 L	400	1050 - 1360	110	880 / 380
1650 L	500	1300 - 1650	132	1040 / 380
2000 L	500	1620 - 2000	160	1280 / 400
2200 L	500 (600)	1800 - 2200	160	1300 / 420