

Hydraulic Rotary Composer
Model ACP-4-4600-1300-150AE

Specifications:

Model	ACP-4-4600-1300-150AE
Working Section	4
Working width	1300mm
Working length	4600mm
Working thickness	150mm
Laminating side main hydraulic cylinders	10 pcs x 4 section
Surface hydraulic cylinders	10 pcs x 4 section
Life hydraulic cylinder	2 pcs x 4 section
Hydraulic pump max. pressure	140kg/cm ²
Hydraulic pump	7-1/2HP
Drive motor	3HP
Gear reducer	#155~600 : 1
Without the hydraulic oil in the hydraulic tank	
Machine dimension	621x270x280cm
Packing dimension	678x285x329mm
N.W.	13,500 kgs
G.W.	15,000 kgs

Hydraulic Rotary Composer
Model ACP-4-6200-1300-150AE

Specifications:

Model	ACP-4-6200-1300-150AE
Working Section	4
Working width	1300mm
Working length	6200mm
Working thickness	150mm
Laminating side main hydraulic cylinders	14 pcs x 4 section
Surface hydraulic cylinders	14 pcs x 4 section
Life hydraulic cylinder	2 pcs x 4 section
Hydraulic pump max. pressure	140kg/cm ²
Hydraulic pump	10 HP
Drive motor	3HP
Gear reducer	#175~600: 1
Without the hydraulic oil in the hydraulic tank	
Machine packing dimension	832x302x328
Packing dimension	17,500 kg
N.W.	13,500 kgs
G.W.	20,000 kg

Hydraulic Rotary Composer
Model ACP-6-2500-1300-150BF

Specifications:

Model	ACP-6-2500-1300-150BF
Working Section	6
Working width	1300mm
Working length	2500mm
Working thickness	150mm
Laminating side main hydraulic cylinders	6 pcs x 6 section
Surface hydraulic cylinders	6 pcs x 6 section
Life hydraulic cylinder	2 pcs x 6 section
Hydraulic pump	7.5 HP
Drive reducer	#175~600 : 1
Drive motor	3HP
Max. hydraulic pressure	140 kg/cm ²
Without the hydraulic oil on the hydraulic tank.	
Machine dimension (LXWXH)	420x310x350 cm
Machine packing dimension	440x365x355 cm
Net weight	13,000 kg
Gross weight	14,500 kg

Hydraulic Rotary Composer
Model ACP-6-4600-1300-150BF

Specifications:

Model	ACP-6-4600-1300-150BF
Working Section	6
Working length	4600mm
Working width	1300mm
Working thickness	150mm
Laminating side main hydraulic cylinders	10pcs x 6 section
Surface hydraulic cylinders	10 pcs x 6 section
Life hydraulic cylinder	2 pcs x 6 section
Hydraulic pump	15 HP
Drive motor	3HP
Max. hydraulic pressure	140 kg/cm ²
Without the hydraulic oil on the hydraulic tank.	
Machine dimension	(LXWXH) 620x310x350 cm
Machine packing dimension (LXWXH)	640x355x310 cm
Net weight	19,800 kg
Gross weight	21,600 kg

Hydraulic Rotary Composer
Model ACP-6-6200-1300-150BF

Specifications:

Model	ACP-6-6200-1300-150BF
Working Section	6
Working length	6200mm
Working width	1300mm
Working thickness	150mm
Laminating side main hydraulic cylinders	14pcs x 6 section
Surface hydraulic cylinders	14 pcs x 6 section
Lift hydraulic cylinder	2 pcs x 6 section
Hydraulic pump	15 HP
Drive motor	3HP
Max. hydraulic pressure	140 kg/cm ²
Without the hydraulic oil on the hydraulic tank.	
Machine dimension (LXWXH)	780x310x350 cm
Machine packing dimension (LXWXH)	800x365x355 cm
Net weight	25,000 kg
Gross weight	27,000 kg