



S.V.A Rikkon Lube Pvt. Ltd.



Oil Circulating System

Innovating.....

Introduction




In oil circulatory systems, the oil is continuously supplied to various moving parts and heavily loaded bearings. In such systems oil acts both as lubricant and coolant by carrying away heat generated in the bearings/moving parts. The oil after lubrication is returned to reservoir either directly or through filters. These systems employ reservoirs of capacity ranging from 25 Litres to

6000 Litres. The pumps are heavy duty, intended for continuous running, with flow rate ranging from 5 LPM to 1200 LPM.

Applications:

- Industrial fans
- Air & Gas reciprocating compressors.
- Steam & Gas Turbines
- Steel rolling mills
- Gear boxes
- Paper machines
- Cement mill & coal mill.
- Oil Transfers
- Off - Shore Equipments
- Sugar machineries



RIKKON LUBE
Reliable Lubrication

Technical Specifications:

The various components and Instruments are assembled along with the pump and motors to provide a cost effective design with long lasting life and easier maintenance.

Ambient operating Temperature	10°C - 40°C
System Pressure	Max up to 400 Bar
Lubricating oil (Mineral Based)	ISO VG 460 / 320 / Others
System connections	Flanged or Connector type
Fluid Handling capacity	up to 1200 LPM
Reservoir size	As per customer requirement
Filter / Strainer	Manual cleaning duplex / simple type Motorised self cleaning duplex / Simplex type
Pump	Triple screw or Gear pump For High pressure radial piston pump
Motors	3 ϕ Induction motors, TEFC, Energy efficient
Flow Monitoring	Flow switch with flow indicator
Other instruments	Level indicator and switch Pressure gauge and switch Temperature gauge and switch
Oil Cooler	Plate type heat exchanger Tube / Shell type oil cooler




RIKKON LUBE
Reliable Lubrication



Company policy

Rikkon lube will deliver a level of quality that totally meets customer satisfaction through delivering quality products on right time at right cost. This will be obtained through continual improve ment in all activities by total employee involvement.



Contact Details

203, Nageswara Rao Road, 2nd Extn,
Athipet, Chennai-600 058.
Tel: 91-44-26255880 / 01
Fax: 91-4-26245128.

Email: sales@rikkonlube.com
Website: www.rikkonlube.com
www.indiamart.com/rikkonlube

