

PRODUCT LIST OF HERBAL EXTRACTS (Dry & Liquid Extracts)

| Sr No | Common Name | Strength** | | Botanical Name | Plant Used | Active Component ** (Specification) | Grade | |
|----------|---|------------|-----|-----------------------------|------------|--|-------|--------|
| | | High | Low | | | | Dry | Liquid |
| | | | | | | | W.S* | O.S* |
| 101 | Guggal | 7:1 | 3:1 | Commiphora Mukul | Gum | Guggal sterones 2.5% | | |
| 102 | Gurmer, Madhunasini | 7:1 | 3:1 | Gymnema Sylvestre | Leaf | Gymnemic Acid 25% | | |
| 103 | Haldi / Turmeric | 7:1 | 3:1 | Curcuma Longa | Rhizome | Curcumin NLT 5%-10% | | |
| 104 | Harde, Harir, Haritaki | 4:1 | 3:1 | Terminalia Chebula | Fruit | Tannin 20% | | |
| 105 | Harmal | 10:1 | 3:1 | Peganum Harmala | | Total Alkaloid 0:3% as Harmine | | |
| 106 | Heena Leaf, Mehndi | 5:1 | 3:1 | Lawsonia Alba | Leaf | Tannins 5% | | |
| 107 | Hing, Asafoetida | 5:1 | 3:1 | Feaula Asafoetida | Resin | Volatile oil 1.5% | | |
| 108 | Hirabol, Myrrh | 5:1 | 3:1 | Balsamodendron Myrrh | Gum | Volatile oil 5% | | |
| 119 | Hibiscus , Jasood Phool, Jasund | 6:1 | 3:1 | Hibiscus Rosa Sinensis | Flower | ISO Flavanoids 10% | | |
| 110 | Indrajava(Mitha), Stri Kutaja, Hyamaraka | 8:1 | 3:1 | Wright Tinctoria | Seed | Saponins 2% | | |
| 111 | Indrayan Phal | 10:1 | 3:1 | Citruarus Colocynthis | Fruit | Bitter 3%, Glycosides 20% | | |
| 112 | Indravaruni,Indrayanmool , Bitter Cucumber | 7:1 | 3:1 | Citruarus Colocynthis | Root | Bitter 5% | | |
| 113 | Ishvarimul, Sunanda, Isharmul | 10:1 | 3:1 | Aristolochia Indica | Root | Alkaloids 0.1% | | |
| 114 | Jai / Oat | 12;1 | 3:1 | Avena Sativa | Seed | - | | |
| 115 | Jambu Seed, Jamun | 10:1 | 3:1 | Eugenia Jambolans | Seed | Bitter 1% | | |
| 116 | Jamrukh Pan, Jamphal | 8:1 | 3:1 | Psidium Guayava | Leaves | Tannins 10% Triterpenoids 2:5% | | |
| 117 | Jatamanshi, Indian Muskroot | 10:1 | 3:1 | Nardostachya Jata manshi | Root | Jatamansone 2% (Volatile oil 0.1%) | | |
| 118 | Java | 10:1 | 3:1 | Horeum Cyminum | Seed | Volatile oil present | | |
| 119 | Jayphal | 5:1 | 3:1 | Myristica Fragrans | Fruit | Volatile oil present | | |
| 120 | Jira, Jeeru | 8:1 | 3:1 | Cuminum Cyminum | Seeds | Volatile oil present | | |

PRODUCT LIST OF HERBAL EXTRACTS (Dry & Liquid Extracts)

| Sr No | Common Name | Strength ** | | Botanical Name | Plant Used | Active Component ** (Specification) | Grade | |
|----------|---|-------------|-----|-----------------------------|------------|--|-------|---------------------|
| | | High | Low | | | | Dry | Liquid W.S* O.S* |
| 121 | Jivanti | 10:1 | 3:1 | Leptadenia Reticulata | Root | Bitter 1:5% | | |
| 122 | Jyotishmathi | 15:1 | 3:1 | Cardrobium Halicacabum | | Volatile Oil | | |
| 123 | Kababchini (Kankol) | 8:1 | 3:1 | Piper Cubeba | Rhizomes | Piperine 10% | | |
| 124 | Kachuro | | | Curcuma Zedoaria | | Volatile oil (+)ve | | |
| 125 | Kachnar | 10:1 | 3:1 | Bauchina Variegata | Bark | Tannins NLT 10% | | |
| 126 | Kada Beej, Indrajav, Kutaj, Kurchi, Kada Chhal | 8:1 | 3:1 | Holarhena Antidysentrica | Seeds | Bitter 1% | | |
| 127 | Kadu (Katuki) | 4:1 | 3:1 | Picrorhiza Kurroa | Root | Bitter 4% | | |
| 128 | Kakadani, Himsra, Cabra | 20:1 | 3:1 | Cappris Spinosa | Root | Glycosids 20% | | |
| 129 | Kakoli | 5:1 | 3:1 | Gymnema Balsamicum | Herb | Saponin 15% | | |
| 130 | Kakrasingi | 4:1 | 3:1 | Rhus Succedanea | Seeds | Tannin 4% | | |
| 131 | Kakmachi (Makoi) | 10:1 | 3:1 | Solanum Nigrum | Berry | Alkaloids 0.2% | | |
| 132 | Kalihari ,Khadyang | 8:1 | 3:1 | Gloriosa Superba | Root | Alkaloid 0.3% | | |
| 133 | Kala Till | 5:1 | 3:1 | Guizojia Abyssynica | Seeds | Volatile oil is present | | |
| 134 | Kali Musli | 10:1 | 3:1 | Curculigo Orchioides | Tuber | Saponins 20%, Bitter 2% | | |
| 135 | Kalijiri, Banjira, Somraj, Somraji | 8:1 | 3:1 | Nigella Sativa | Seeds | Bitter 2%, Saponins 150% | | |
| 136 | Kalipath | | | Cyclea Peltata | Leaf | | | |
| 137 | Kamalpushpha | 7:1 | 3:1 | Nelumbium Speciosum | Flower | Saponins 5% | | |
| 138 | Kalmegh, Green Chireyata, Bhunimba | 10:1 | 3:1 | Andrographis Paniculata | Plant | Andrographaloid 4% to 8% | | |
| 139 | Kantakari , Kateli | 10:1 | 3:1 | Solanum Xanthocarpum | Herb | Alkaloid is present 0:5% | | |
| 141 | Kapas, Cotton | 10:1 | 3:1 | Gossypium Herbaceum | Root | Alkaloids 0.3%, Flavones 1% | | |

PRODUCT LIST OF HERBAL EXTRACTS (Dry & Liquid Extracts)

| Sr | Common Name | Strength ** | | Botanical Name | Plant Used | Active Component ** | Grade | | |
|-----|--------------------|-------------|-----|---------------------|------------|---------------------------------|-------|--------|------|
| | | High | Low | | | | Dry | Liquid | |
| No | | | | | | (Specification) | | W.S* | O.S* |
| 141 | Kapur, Kachli | 10:1 | 3:1 | Hedychium Spicatum | Rhizome | Glycosides 5% | | | |
| 142 | Karanj | 10:1 | 3:1 | Pongamia Glabra | Seeds | Volatile oil is present | | | |
| 143 | Karela | 10:1 | 3:1 | Momordica Charantia | Fruit | Bitter 2% | | | |
| 144 | Karen | | 3:1 | Nerium Odorum | Flower | Essential Oil (+)ve | | | |
| 145 | Kasni Seed | 10:1 | 3:1 | Cichoriuk Intybus | Seed | Bitter 1% | | | |
| 146 | Kasondi (Kasmarda) | 8:1 | 3:1 | Cassia Occidentalis | Fruit | Oxymethyl -anthraquinones 1% | | | |
| 147 | Kawach Seed | 10:1 | 3:1 | Mucuna Pruriens | Seed | Levodopa 10%-40% | | | |
| 148 | Kayphal | 15:1 | 3:1 | Myrica Nagi | Bark | Tannins 5% | | | |
| 149 | Khadir Chhal, Kher | 10:1 | 3:1 | Acacia Catechu | Bark | Tannin 5% | | | |
| 150 | Khajoor | 5:1 | 3:1 | Phoenix Dactylifera | Fruit | Mucilage 15% | | | |
| | | | | | | | | | |